

WEST Search History

DATE: Friday, October 14, 2005

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L13	3D same object same cache\$1 near4 texture near6 memory	2
<input type="checkbox"/>	L12	texture same cache same memory and texel and row\$1 and column\$1 and read\$3 same writ\$3 and span same raster\$6	23
<input type="checkbox"/>	L11	texture same cache same memory and texel and row\$1 same column\$1 and read\$3 same writ\$3 and span same raster\$6 and arbiter	0
<input type="checkbox"/>	L10	L9 and read same write same cycle\$1 and match\$3 and stage\$1	31
<input type="checkbox"/>	L9	l4 and texture same cache ssame memory and address and bank\$1 and interpolat\$3 and arbiter same cache and span\$1 and raster\$5	94
<input type="checkbox"/>	L8	345/565.ccls.	130
<input type="checkbox"/>	L7	345/565.ccls.	130
<input type="checkbox"/>	L6	345/564.ccls.	211
<input type="checkbox"/>	L5	345/558.ccls.	176
<input type="checkbox"/>	L4	345/535.ccls.	107
<input type="checkbox"/>	L3	345/557.ccls.	209
<input type="checkbox"/>	L2	345/552.ccls.	173
<input type="checkbox"/>	L1	345/582.ccls.	769

END OF SEARCH HISTORY

Day : Friday
Date: 10/14/2005

Time: 17:36:34

 **PALM INTRANET**

Inventor Information for 09/502994

Inventor Name	City	State/Country
<u>MANTOR, MICHAEL</u>	RESIDENCE	NOT PROVIDED
<u>PIAZZA, THOMAS A.</u>	RESIDENCE	NOT PROVIDED
<u>POTTER, JEFFREY</u>	RESIDENCE	NOT PROVIDED

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)


[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

texture same cache same memory and 3D



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

 Terms used **texture same cache same memory and 3D**

Found 88,164 of 164,603

Sort results by

relevance


[Save results to a Binder](#)

 Try an [Advanced Search](#)

Display results

expanded form


[Search Tips](#)

 Try this search in [The ACM Guide](#)
☐ Open results in a new window

Results 1 - 20 of 200

 Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

 Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Multi-level texture caching for 3D graphics hardware](#)

Michael Cox, Narendra Bhandari, Michael Shantz

 April 1998 **ACM SIGARCH Computer Architecture News , Proceedings of the 25th annual international symposium on Computer architecture**, Volume 26 Issue 3

Full text available:

pdf (1.62 MB)


 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Publisher Site](#)

Traditional graphics hardware architectures implement what we call the *push architecture* for texture mapping. Local memory is dedicated to the accelerator for fast local retrieval of texture during rasterization, and the application is responsible for managing this memory. The push architecture has a bandwidth advantage, but disadvantages of limited texture capacity, escalation of accelerator memory requirements (and therefore cost), and poor memory utilization. The push architecture also ...

2 [TriangleCaster: extensions to 3D-texturing units for accelerated volume rendering](#)

Gunter Knittel

 July 1999 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on Graphics hardware**

Full text available:

pdf (1.49 MB)

 Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: 3D-texture mapping, graphics hardware, ray casting, volume rendering

3 [The design and analysis of a cache architecture for texture mapping](#)

Ziyad S. Hakura, Anoop Gupta






 May 1997 **ACM SIGARCH Computer Architecture News , Proceedings of the 24th annual international symposium on Computer architecture**, Volume 25 Issue 2

Full text available:

pdf (2.10 MB)

 Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)


The effectiveness of texture mapping in enhancing the realism of computer generated imagery has made support for real-time texture mapping a critical part of graphics pipelines. Despite a recent surge in interest in three-dimensional graphics from computer architects, high-quality high-speed texture mapping has so far been confined to costly hardware systems that use brute-force techniques to achieve high performance. One obstacle faced by designers of texture mapping systems is the requirement ...

- 4 [Evaluation of high performance multicache parallel texture mapping](#)
Alexis Vartanian, Jean-Luc Béchenec, Nathalie Drach-Temam
July 1998 **Proceedings of the 12th international conference on Supercomputing**
Full text available:  [pdf\(1.06 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 5 [Neon: a single-chip 3D workstation graphics accelerator](#)
Joel McCormack, Robert McNamara, Christopher Gianos, Larry Seiler, Norman P. Jouppi, Ken Correll
August 1998 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on Graphics hardware**
Full text available:  [pdf\(1.58 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- Keywords:** chunk rendering, direct rendering, graphics pipeline, level of detail, rasterization, texture cache, tile rendering
- 6 [Parallel texture caching](#)
Homan Igehy, Matthew Eldridge, Pat Hanrahan
July 1999 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on Graphics hardware**
Full text available:  [pdf\(1.80 MB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
- 7 [Multi-resolution representations: Interactive visualization of unstructured grids using hierarchical 3D textures](#)
Joshua Leven, Jason Corso, Jonathan Cohen, Subodh Kumar
October 2002 **Proceedings of the 2002 IEEE symposium on Volume visualization and graphics**
Full text available:  [pdf\(2.83 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)
- We present a system for interactively rendering large, unstructured grids. Our approach is to voxelize the grid into a 3D voxel octree, and then to render the data using hierarchical, 3D texture mapping. This approach leverages the current 3D texture mapping PC hardware for the problem of unstructured grid rendering. We specialize the 3D texture octree to the task of rendering unstructured grids through a novel *pad and stencil* algorithm, which distinguishes between data and non-data voxel ...
- 8 [Texture mapping: Resample hardware for 3D graphics](#)
Koen Meinds, Bart Barenbrug
September 2002 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS conference on Graphics hardware**
Full text available:  [pdf\(909.72 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)
- Texture mapping is a core technology of current real-time 3D graphics systems. To avoid aliasing artifacts, the texture mapping resample process requires proper filtering. We present a new resample algorithm for two-pass forward texture mapping that is suited to an efficient hardware implementation. This method delivers high quality anti-aliased images using filter techniques based on digital signal processing. We use an input sample driven texture resample and filtering algorithm that "splats" ...

9 Prefetching in a texture cache architecture

Homan Igehy, Matthew Eldridge, Kekoa Proudfoot

August 1998 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS workshop on Graphics hardware**

Full text available:  [pdf\(1.45 MB\)](#)

Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

10 Radiance interpolants for accelerated bounded-error ray tracing

Kavita Bala, Julie Dorsey, Seth Teller

July 1999 **ACM Transactions on Graphics (TOG)**, Volume 18 Issue 3

Full text available:  [pdf\(888.58 KB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Ray tracers, which sample radiance, are usually regarded as offline rendering algorithms that are too slow for interactive use. In this article we present a system that exploits object-space, ray-space, image-space, and temporal coherence to accelerate ray tracing. Our system uses per-surface interpolants to approximate radiance both interactive and batch ray tracers. Our approach explicitly decouples the two primary operations of a ray tracer—shading and visibility de ...


Keywords: 4D interpolation, approximation, data structures, error bounds, interactive, interval arithmetic, radiance, rendering, rendering systems, visibility

11 Multimedia and graphics: ZR: a 3D API transparent technology for chunk rendering

Emile Hsieh, Vladimir Pentkovski, Thomas Piazza

December 2001 **Proceedings of the 34th annual ACM/IEEE international symposium on Microarchitecture**

Full text available:  [pdf\(765.52 KB\)](#)

 [Publisher Site](#)


Additional Information: [full citation](#), [abstract](#), [references](#)

This paper presents ZR (Zone Rendering), a 3D graphics technology that addresses ever-increasing bandwidth requirements using chunk rendering technique, and at the same time solves 3D API compatibility issues commonly associated with chunk rendering graphics devices. We apply a pipeline serialization technique to handle the cases causing compatibility issues. However, excessive frequency of serializations may offset the performance advantage of ZR. In order to manage potential performance problem ...

12 Application-adaptive intelligent cache memory system

Jung-Hoon Lee, Shin-Dug Kim, Charles Weems

November 2002 **ACM Transactions on Embedded Computing Systems (TECS)**, Volume 1 Issue 1

Full text available:  [pdf\(1.10 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This article presents the design of a simple hardware-controlled, high performance cache system. The design supports fast access time, optimal utilization of temporal and spatial localities adaptive to given applications, and a simple dynamic fetching mechanism with different fetch sizes. Support for dynamically varying the fetch size makes the cache equally effective for general-purpose as well as multimedia applications. Our cache organization and operational mechanism are especially designed ...



Keywords: Memory hierarchy, dynamic block fetching and cache memory, general application, media application, spatial locality, temporal locality

13 Gigabyte volume viewing using split software/hardware interpolation

William R. Volz

October 2000 **Proceedings of the 2000 IEEE symposium on Volume visualization**Full text available:  [pdf\(917.24 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**Keywords:** large datasets, texturing, trilinear interpolation**14** Dynamic 3D graphics workload characterization and the architectural implications

Tulika Mitra, Tzi-cker Chiueh

November 1999 **Proceedings of the 32nd annual ACM/IEEE international symposium on Microarchitecture**Full text available:  [pdf\(1.05 MB\)](#)  Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)
[Publisher Site](#)

Although PC-class 3D graphics hardware has made significant strides in the last several years, the underlying architectural design principles are still generally considered as a black art. The quantitative approach prevalent in mainstream computer architecture design is rarely applied, at least as far as publicly available research literature is concerned. One main reason for this deficiency is the absence of a detailed workload characterization of 3D applications. This paper report ...

15 Hardware: Hexagonal storage scheme for interleaved frame buffers and textures

Yosuke Bando, Takahiro Saito, Masahiro Fujita

July 2005 **Proceedings of the ACM SIGGRAPH/EUROGRAPHICS conference on Graphics hardware HWWS '05**Full text available:  [pdf\(703.31 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)


This paper presents a storage scheme which statically assigns pixel/texel coordinates to multiple memory banks in order to minimize frame buffer and texture memory access load imbalance. In this scheme, the pixels stored in a particular memory bank are placed at the center and the vertices of hexagons packed in the frame buffer. By making these hexagons close to regular so that the pixel placement is uniform and isotropic, frame buffer and texture memory accesses are evenly distributed over the m ...

16 Accelerating time-varying hardware volume rendering using TSP trees and color-based error metrics

David Ellsworth, Ling-Jen Chiang, Han-Wei Shen

October 2000 **Proceedings of the 2000 IEEE symposium on Volume visualization**Full text available:  [pdf\(305.84 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)**Keywords:** graphics hardware, scalar field visualization, time-varying fields, volume rendering, volume visualization**17** Cache performance for multimedia applications

Nathan T. Slingerland, Alan Jay Smith

June 2001 **Proceedings of the 15th international conference on Supercomputing**Full text available:  [pdf\(642.63 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The caching behavior of multimedia applications has been described as having high

instruction reference locality within small loops, very large working sets, and poor data cache performance due to non-locality of data references. Despite this, there is no published research deriving or measuring these qualities. Utilizing the previously developed Berkeley Multimedia Workload, we present the results of execution driven cache simulations with the goal of aiding future media processing architect ...

Keywords: CPU caches, cache, mulitmedia, simulation, trace driven simulation

18 Talisman: commodity realtime 3D graphics for the PC

Jay Torborg, James T. Kajiya


August 1996 **Proceedings of the 23rd annual conference on Computer graphics and interactive techniques**

Full text available:  [pdf\(107.48 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

19 3D RGB image compression for interactive applications

Chandrajit Bajaj, Insung Ihm, Sanghun Park

January 2001 **ACM Transactions on Graphics (TOG)**, Volume 20 Issue 1

Full text available:  [pdf\(2.41 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

This paper presents a new 3D RGB image compression scheme designed for interactive real-time applications. In designing our compression method, we have compromised between two important goals: high compression ratio and fast random access ability, and have tried to minimize the overhead caused during run-time reconstruction. Our compression technique is suitable for applications wherein data are accessed in a somewhat unpredictable fashion, and real-time performance of decompression is nece ...

20 Hierarchical image caching for accelerated walkthroughs of complex environments

Jonathan Shade, Dani Lischinski, David H. Salesin, Tony DeRose, John Snyder

August 1996 **Proceedings of the 23rd annual conference on Computer graphics and interactive techniques**

Full text available:  [pdf\(115.24 KB\)](#) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: BSP-tree, image-based rendering, level-of-detail, path coherence, spatial hierarchy, texture mapping

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Fri, 14 Oct 2005, 5:40:38 PM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 ((texture same cache same memory and 3d)<in>metadata)

#2 ((cache memory<in>metadata) <and> (texture cache<in>metadata))<and> (3d object<in>metadata)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2005 IEEE --